

CLASSIFICATION SECRET

25X1A

CENTRAL INTELLIGENCE AGENCY

REPORT NO. [REDACTED]

INFORMATION REPORT

CD NO.

COUNTRY Rumania

DATE DISTR. 26 Dec. 1950

SUBJECT Petroleum Chart

NO. OF PAGES 1

PLACE ACQUIRED [REDACTED]

NO. OF ENCLS. 1
(LISTED BELOW)

25X1C

DATE OF INFO. ACQUIRED [REDACTED]

SUPPLEMENT TO REPORT NO.

25X1X

Attached herewith for your information and retention is a petroleum chart concerning seven Rumanian oil fields.

THIS DOCUMENT HAS AN ENCLOSURE ATTACHED
DO NOT DETACH

25X1A

RETURN TO CIA LIBRARY



25X1A

CLASSIFICATION SECRET

25X1A

JAN 12 1951

/D/MA

CONDUCTELE DE PETROL C. F. R.

Luna

25X

STAȚII DE POMPARE

BULETIN ZILNIC

Băicoi

Regim de pompare :

NUMARUL rezervorului și capa- citatea	Cantitatea în vagoane		Proces verbal	SOCIETATEA	Cm. in rezer.	Observații
	Totală	Recepționată				
5 -- 1708 1 cm.	130					
6 -- 1708 "	130					
10 -- 1708 "	130					
11 -- 1708 "	130					
12 -- 1704 80 "	130					
13 -- 1704 25 "	130					

Regim de pompare :

1 -- 1708 1 cm.	130					
2 -- 1708 "	130					
3 -- 17 8 "	130					
4 -- 1708 "	130					
7 -- 1708 "	130					
8 -- 1708 "	130					
9 -- 1708 "	130					

Teleajen

Regim de pompare:

NUMARUL rezervorului și capa- citatea	Cantitatea in vagoane		Proces verbal	SOCIETATEA	Cm. in rezer.	Observații
	Totală	Recepționată				
13 — 4443 54 l/cm.	400					
15 — 1037 70 "	75					
16 — 1037 52 "	75					
18 — 3136 53 "	300					
19 — 4901 36 "	500					
21 — 4901 75 "	500					
22 — 4904 17 "	500					
24 — 3210 77 "	250					
25 — 3204 01 "	250					
26 — 3201 58 "	250					
28 — 2548 35 "	210					
29 — 1707 61 "	120					
30 — 3210 — "	250					
33 — 1708 7 "	120					
34 — 1707 61 "	120					
35 — 3211 48 "	250					
36 — 3211 31 "	250					

Regim de pompare:

.....

.....

NUMARUL rezervorului și capa- citatea	Cantitatea în vagoane		Proces verbal	S O C I E T A T E A	Cm. in rezer.	Observații
	Totală	Receptionată				
1 — 944 50 l. cm.	50					
2 — 951 12 "	50					
3 — 597 61 "	35					
4 — 785 28 "	40					
5 — 2006 "	140					

Regim de pompare:

.....

5 — 1540 60 l/cm.	90					
6 — 1538 20 "	90					
8 — 1761 66 "	130					

Buzău

Regim de pompare:

.....

44 — 1707 5 l cm.	125					
45 — 1709 8 "	125					

Hagieni

Regim de pompare:

.....

47 — 1706 42 l/cm.	125					
50 — 1706 18 "	125					

Palas

NUMĂRUL REZERVORULUI ȘI CAPACITATEA	Cantitatea in vagoane		Cm.	SOLDURI CREDITOARE IN ORDINEA PREDĂRILOR	Observații
	Totală	Existență			
55 -- 1980 1/cm.	140*)				
56 -- 3205 65 "	220				
57 -- 3205 65 "	220				
58 -- 1980 "	140*)				
59 -- 3206 65 "	220				
60 -- 3206 4 "	220				
62 -- 4301 2 "	450				
64 -- 3215 18 "	220				
65 -- 4301 2 "	450				
66 -- 3211 4 "	220				

Giurgiu

1 -- 1712 1/cm.	130				
3 -- 1712 "	130				
5 -- 1712 "	130				
7 -- 1712 "	130				
9 -- 1711 "	130				
11 -- 1711 "	130				
13 -- 1711 "	130				

2 -- 1712 1/cm.	130				
4 -- 1712 "	130				
6 -- 1712 "	130				
8 -- 1712 "	130				
10 -- 1712 "	130				
12 -- 1712 "	130				

*) La fiecare reparare se adaugă: La total litri 26 400 litri, care reprezintă capacitatea fundului conic.